

Oracle Database 19c: Data Guard Administration Workshop

Student Guide – Volume II D108632GC10

Learn more from Oracle University at education.oracle.com

#### Author

Sean Kim

# Technical Contributors and Reviewers

Gwen Lazenby Jerry Lee Joel Goodman

#### **Graphic Designer**

Lakhan Mandar

#### Editors

Moushmi Mukherjee Aju Kumar

#### Publishers

Veena Narasimhan Pavithran Adka Jayanthy Keshavamurthy Joseph Fernandez

1007062020

#### Copyright © 2020, Oracle and/or its affiliates.

#### Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

#### **Restricted Rights Notice**

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

#### **Trademark Notice**

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

#### Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, except as set forth in an applicable agreement between you and Oracle.

## Contents

# **1** Introduction to Oracle Data Guard Objectives 1-2 What Is Oracle Data Guard? 1-3 Types of Standby Databases 1-4 Types of Data Guard Services 1-6 Role Transitions: Switchover and Failover 1-7 Oracle Data Guard Broker Framework 1-9 Choosing an Interface for Administering a Data Guard Configuration 1-10 Oracle Data Guard: Architecture (Overview) 1-11 Primary Database Processes 1-12 Standby Database Processes 1-13 Physical Standby Database: Redo Apply Architecture 1-14 Logical Standby Database: SQL Apply Architecture 1-15 Automatic Gap Detection and Resolution 1-16 Data Protection Modes 1-17 Data Guard Operational Requirements: Hardware and Operating System 1-19 Data Guard Operational Requirements: Oracle Database Software 1-20 Benefits of Implementing Oracle Data Guard 1-21 Quiz 1-22 Summary 1-24 Practice 1: Overview 1-25

## 2 Oracle Net Services in a Data Guard Environment

Objectives 2-2 Oracle Net Services Overview 2-3 Configuring Oracle Net Services in a Data Guard Environment 2-4 Understanding Name Resolution 2-5 Local Naming Configuration Files 2-6 Connect-Time Failover: Planning for Role Reversal 2-8 Listener Configuration: listener.ora 2-9 Dynamic Service Registration 2-10 Static Listener Entries: listener.ora 2-11 Optimizing Oracle Net for Data Guard 2-12 Quiz 2-14 Summary 2-16 Practice 2: Overview 2-17

### 3 Creating a Physical Standby Database by Using SQL and RMAN Commands

**Objectives 3-2** Steps to Create a Physical Standby Database 3-3 Preparing the Primary Database 3-4 FORCE LOGGING Mode 3-5 Database Nologging Enhancements 3-6 Configuring Standby Redo Logs 3-7 Standby Redo Log Usage 3-8 Using SQL to Create Standby Redo Logs 3-9 Viewing Standby Redo Log Information 3-10 Setting Initialization Parameters on the Primary Database to Control Redo Transport 3-11 Setting LOG\_ARCHIVE\_CONFIG 3-12 Setting LOG\_ARCHIVE\_DEST\_n 3-14 Specifying Role-Based Destinations 3-15 Combinations for VALID FOR 3-17 Defining the Redo Transport Mode 3-18 Setting Initialization Parameters on the Primary Database 3-19 Specifying Values for DB FILE NAME CONVERT 3-20 Specifying a Value for STANDBY\_FILE\_MANAGEMENT 3-22 Specifying a Value for FAL\_SERVER 3-23 Example: Setting Initialization Parameters on the Primary Database 3-24 Creating an Oracle Net Service Name on Primary for Your Physical Standby Database 3-25 Creating a Listener Entry for Your Standby Database 3-26 Copying Your Primary Database Password File to the Physical Standby Database Host 3-27 Creating an Initialization Parameter File for the Physical Standby Database 3-28 Creating Directories for the Physical Standby Database 3-29 Starting the Physical Standby Database 3-30 Creating an RMAN Script to Create the Physical Standby Database 3-31 Creating the Physical Standby Database 3-33 Real-Time Apply (Default) 3-34 Starting Redo Apply in Real Time 3-36 Preventing Primary Database Data Corruption from Affecting the Standby Database 3-37 Detecting Lost Writes with DBMS\_DBCOMP.DBCOMP 3-39 DBMS\_DBCOMP.DBCOMP Usage Cases 3-40 Creating a Physical Standby Database by Using Enterprise Manager 3-42 Using the Add Standby Database Wizard 3-43 Creating a Data Guard Standby by Using DBCA 3-44 Example: Physical Standby Creation 3-45 Creating a Physical Standby by Using SQL 3-46

Standby Database on the Same System 3-47 Quiz 3-48 Summary 3-50 Practice 3: Overview 3-51

4 Managing Physical Standby Files After Structural Changes on the Primary Database

**Objectives** 4-2 Scenario 1: Adding a Data File or Creating a Tablespace 4-3 Action Required on Physical Standby 4-4 Scenario 2: Using Transportable Tablespaces with a Physical Standby Database 4-5 Action Required on Physical Standby 4-6 Scenario 3: Renaming a Data File in the Primary Database 4-7 Action Required on Physical Standby 4-8 Scenario 4: Adding or Dropping a Redo File Group 4-10 Action Required on Physical Standby 4-11 Scenario 5: NOLOGGING or Unrecoverable Operations 4-12 Action Required on Physical Standby 4-13 Scenario 6: Resetting the TDE Master Encryption Key 4-17 Scenario 7: Refreshing the Password File 4-18 Scenario 8: Controlling PDB Replication 4-19 Example: ENABLED\_PDBS\_ON\_STANDBY 4-20 Scenario 9: Instantiating a PDB on a Standby 4-21 Quiz 4-23 Summary 4-26 Practice 4: Overview 4-27

5 Using Oracle Active Data Guard: Supported Workloads in Read-Only Standby

Objectives 5-2 Oracle Active Data Guard 5-3 Using Real-Time Query 5-4 Enabling Real-Time Query 5-5 Disabling Real-Time Query 5-6 Checking the Standby's Open Mode 5-7 Understanding Lag in an Active Data Guard Configuration 5-8 Monitoring Apply Lag: V\$DATAGUARD\_STATS 5-9 Monitoring Apply Lag: V\$STANDBY\_EVENT\_HISTOGRAM 5-10 Allowed Staleness of Standby Query Data 5-11 Configuring Zero Lag Between the Primary and Standby Databases 5-12 Setting STANDBY\_MAX\_DATA\_DELAY by Using an AFTER LOGON Trigger 5-13 Example: Setting STANDBY\_MAX\_DATA\_DELAY by Using an AFTER LOGON Trigger 5-14

Forcing Redo Apply Synchronization 5-15 Creating an AFTER LOGON Trigger for Synchronization 5-16 DDL on Global Temporary Tables 5-17 DML on Global Temporary Tables 5-18 DML/DDL on Private Temporary Tables 5-19 Creating a Private Temporary Table 5-20 Support for Global Sequences 5-21 Support for Session Sequences 5-22 Benefits: Temporary Undo and Sequences 5-23 DML Operations on Active Data Guard Standby Databases 5-24 Configuring Automatic Redirection of DML operations 5-25 Example: Performing DML on a Physical Standby 5-26 PL/SQL Operations on Active Data Guard Standby Databases 5-27 IM Column Store in an Active Data Guard Standby Database 5-28 Quiz 5-29 Summary 5-31 Practice 5: Overview 5-32

#### 6 Using Oracle Active Data Guard: Far Sync and Real-Time Cascading

Objectives 6-2 Oracle Active Data Guard 6-3 Oracle Data Guard: Far Sync 6-4 Far Sync: Redo Transport 6-5 Far Sync: Alternate Redo Transport Routes 6-7 Far Sync Instance Creation by Using RMAN 6-8 Far Sync Instance Creation by Using SQL 6-10 Benefits: Far Sync 6-11 Far Sync: Alternate Design 6-12 Real-Time Cascade 6-13 Traditional Multi-Standby Database Architecture 6-14 Benefits: Real-Time Cascade 6-15 Quiz 6-16 Summary 6-17 Practice 6: Overview 6-18

#### 7 Creating and Managing a Snapshot Standby Database

Objectives 7-2 Snapshot Standby Databases: Overview 7-3 Snapshot Standby Database: Architecture 7-4 Converting a Physical Standby Database to a Snapshot Standby Database 7-5 Activating a Snapshot Standby Database: Issues and Cautions 7-6 Snapshot Standby Database: Target Restrictions 7-7 Viewing Snapshot Standby Database Information 7-8 Snapshot Standby Space Requirements 7-9 Activating a Snapshot Standby Database: Issues and Cautions 7-10 Quiz 7-11 Summary 7-12 Practice 7: Overview 7-13

## 8 Creating a Logical Standby Database

**Objectives 8-2** Benefits of Implementing a Logical Standby Database 8-3 Logical Standby Database: SQL Apply Architecture 8-5 SQL Apply Process: Architecture 8-6 Preparing to Create a Logical Standby Database 8-7 Unsupported Objects 8-8 Unsupported Data Types 8-9 Identifying Internal Schemas 8-10 Checking for Unsupported Tables 8-11 Checking for Tables with Unsupported Data Types 8-12 SQL Commands That Do Not Execute on the Standby Database 8-13 Unsupported PL/SQL-Supplied Packages 8-14 Ensuring Unique Row Identifiers 8-15 Adding a Disabled Primary Key RELY Constraint 8-17 Creating a Logical Standby Database by Using SQL Commands 8-18 Step 1: Create a Physical Standby Database 8-19 Step 2: Stop Redo Apply on the Physical Standby Database 8-20 Step 3: Prepare the Primary Database to Support Role Transitions 8-21 Step 4: Build a LogMiner Dictionary in the Redo Data 8-22 Step 5: Transition to a Logical Standby Database 8-23 Step 6: Open the Logical Standby Database 8-24 Step 7: Verify That the Logical Standby Database Is Performing Properly 8-25 Creating a Logical Standby Database by Using Enterprise Manager 8-27 Using the Add Standby Database Wizard 8-28 Securing Your Logical Standby Database 8-31 Automatic Deletion of Redo Log Files by SQL Apply 8-32 Managing Remote Archived Log File Retention 8-33 Creating SQL Apply Filtering Rules 8-34 Deleting SQL Apply Filtering Rules 8-35 Viewing SQL Apply Filtering Settings 8-36 Using DBMS SCHEDULER to Create Jobs on a Logical Standby Database 8-37 Quiz 8-38

Summary 8-40 Practice 8: Overview 8-41

#### 9 Oracle Data Guard Broker: Overview

**Objectives** 9-2 Oracle Data Guard Broker: Features 9-3 Data Guard Broker: Components 9-4 Data Guard Broker: Configurations 9-5 Data Guard Broker: Management Model 9-6 Data Guard Broker: Architecture 9-7 Data Guard Monitor: DMON Process 9-8 Benefits of Using the Data Guard Broker 9-9 Comparing Configuration Management With and Without the Data Guard Broker 9-10 Data Guard Broker Interfaces 9-11 Broker Controlled Database Initialization Parameters 9-12 Using the Command-Line Interface of the Data Guard Broker 9-13 Using Oracle Enterprise Manager Cloud Control 9-16 Data Guard Overview Page 9-17 Benefits of Using Enterprise Manager 9-18 Quiz 9-19 Summary 9-21

## 10 Creating a Data Guard Broker Configuration

Objectives 10-2 Data Guard Broker: Requirements 10-3 Data Guard Broker and the SPFILE 10-5 Data Guard Monitor: Configuration File 10-7 Data Guard Broker: Log Files 10-8 Creating a Broker Configuration 10-9 Clear Redo Transport Network Locations on Primary 10-10 Connecting to the Primary Database with DGMGRL 10-11 Defining the Broker Configuration and the Primary Database Profile 10-12 Adding a Standby Database to the Configuration 10-13 Adding a Far Sync to the Configuration 10-14 Enabling the Configuration 10-15 Broker Support for Complex Redo Routing 10-16 Defining RedoRoutes by Using DGMGRL 10-17 RedoRoutes Usage Guidelines 10-18 How to Read Redo Routing Rules 10-19 Far Sync Example with RedoRoutes 10-20 Changing Database Properties and States 10-21

Managing Redo Transport Services by Using DGMGRL 10-22 Managing the Redo Transport Service by Using the LogXptMode Property 10-26 Setting LogXptMode to ASYNC 10-27 Setting LogXptMode to FASTSYNC 10-29 New Commands to Set, Modify, and Display the Initialization Parameters: 10-30 The EDIT DATABASE SET PARAMETER Command 10-31 The EDIT DATABASE RESET PARAMETER Command 10-32 The EDIT DATABASE FAR SYNC RESET PARAMETER Command 10-33 The EDIT RECOVERY APPLIANCE SET PARAMETER Command 10-34 The EDIT RECOVERY APPLIANCE RESET PARAMETER Command 10-35 The SET TRACE\_LEVEL Command 10-36 Example: SET TRACE\_LEVEL command 10-37 The EDIT FAR\_SYNC SET PARAMETER Command 10-39 Data Guard Broker Deprecated and Desupported Properties 10-40 Export Broker Configuration 10-42 Import Broker Configuration 10-43 Disabling Broker Management of the Configuration or Standby Database 10-44 Removing the Configuration or Standby Database 10-45 Quiz 10-46 Summary 10-48 Practice 10: Overview 10-49

## 11 Monitoring a Data Guard Broker Configuration

Objectives 11-2 Monitoring the Data Guard Configuration by Using Enterprise Manager Cloud Control 11-3 Viewing the Data Guard Configuration Status 11-4 Monitoring Data Guard Performance 11-5 Viewing Log File Details 11-6 Enterprise Manager Metrics and Alerts 11-7 Data Guard Metrics 11-8 Managing Data Guard Metrics 11-9 Viewing Metric Value History 11-10 Viewing Data Guard Diagnostic Information 11-11 Using Monitorable Database Properties to Identify a Failure 11-13 Using the SHOW CONFIGURATION DGMGRL Command to Monitor the Configuration 11-14 Using the SHOW DATABASE VERBOSE DGMGRL Command to Monitor the Configuration 11-15 The VALIDATE DATABASE DATAFILE Command 11-17 New Data Guard Broker Commands: VALIDATE DATABASE SPFILE 11-19 New Data Guard Broker Commands: VALIDATE NETWORK CONFIGURATION 11-20

New Data Guard Broker Commands: VALIDATE STATIC CONNECT IDENTIFIER 11-21 Miscellaneous New Data Guard Broker Commands: SET ECHO and SHOW ALL 11-22 Viewing Standby Redo Log Information in V\$LOGFILE 11-23 Viewing Standby Redo Log Information in V\$STANDBY LOG 11-24 Viewing Standby Redo Log Information in V\$LOGFILE 11-25 Viewing Standby Redo Log Information in V\$STANDBY LOG 11-26 Identifying Destination Settings 11-27 Viewing Standby Redo Log Information in V\$STANDBY LOG 11-28 Viewing Redo Transport Errors by Querying V\$ARCHIVE DEST 11-30 Evaluating Redo Data by Querving V\$DATAGUARD STATS 11-31 Viewing Data Guard Status Information by Querying V\$DATAGUARD\_STATUS 11-32 Monitoring Redo Apply by Querying V\$DATAGUARD\_PROCESS 11-33 Monitoring SQL Apply by Querying V\$LOGSTDBY\_TRANSACTION 11-34 Quiz 11-35 Summary 11-38 Practice 11: Overview 11-39

#### **12 Configuring Data Protection Modes**

Objectives 12-2 Data Protection Modes and Redo Transport Modes 12-3 Data Protection Modes 12-4 Maximum Protection Mode 12-5 Maximum Availability Mode 12-6 Maximum Performance Mode 12-7 Comparing Data Protection Modes 12-8 Setting the Data Protection Mode by Using Enterprise Manager 12-9 Setting the Data Protection Mode by Using SQL 12-12 Quiz 12-13 Summary 12-14 Practice 12: Overview 12-15

## 13 Optimizing and Tuning a Data Guard Configuration

Objectives 13-2 Monitoring Configuration Performance by Using Enterprise Manager Cloud Control 13-3 Optimizing Redo Transport Services 13-4 Setting the ReopenSecs Database Property 13-5 Setting the NetTimeout Database Property 13-6 Setting the DataGuardSyncLatency Property 13-7 Optimizing Redo Transmission by Using Redo Transport Compression 13-8 Compressing Redo Data by Setting the RedoCompression Property 13-9 Delaying the Application of Redo 13-10 Setting the DelayMins Database Property to Delay the Application of Redo 13-11 Using Enterprise Manager to Delay the Application of Redo 13-12 Optimizing SQL Apply 13-13 Adjusting the Number of APPLIER Processes 13-14 Adjusting the Number of PREPARER Processes 13-15 Tuning Automatic Outage Resolution 13-17 Diagnostic Tools in Active Data Guard (Read-Only) Standby Databases 13-18 AWR Unified Management Framework Topology 13-19 Remote Snapshot Configuration for ADG Database 13-20 Quiz 13-21 Summary 13-24 Practice 13: Overview 13-25

#### 14 Performing Role Transitions

Objectives 14-2 Role Management Services 14-3 Role Transitions: Switchover and Failover 14-4 Buffer Cache Preservation During Role Change 14-5 Keeping Physical Standby Sessions Connected During Role Transition 14-6 Switchover 14-7 Switchover: Before 14-8 Switchover: After 14-9 Performing a Switchover by Using Enterprise Manager 14-10 Validating Databases for Switchover by Using DGMGRL 14-13 Performing a Switchover by Using DGMGRL 14-16 Preparing for a Switchover Using SQL 14-17 Performing a Switchover by Using SQL 14-18 Considerations When Performing a Switchover to a Logical Standby Database 14-19 Situations That Prevent a Switchover 14-20 Failover 14-21 Types of Failovers 14-22 Failover Considerations 14-23 Performing a Failover by Using Enterprise Manager 14-24 Performing a Failover to a Physical Standby Database 14-27 Performing a Manual Failover by Using DGMGRL 14-28 Re-enabling Disabled Databases by Using DGMGRL 14-29 Quiz 14-30 Summary 14-32 Practice 14: Overview 14-33

#### 15 Using Flashback Database in a Data Guard Configuration

Objectives 15-2 Using Flashback Database in a Data Guard Configuration 15-3 Overview of Flashback Database 15-4 Configuring Flashback Database 15-5 Configuring Flashback Database by Using Enterprise Manager 15-6 Using Flashback Database Instead of Apply Delay 15-8 Using Flashback Database and Real-Time Apply 15-9 Using Flashback Database After RESETLOGS 15-10 Flashback Through Standby Database Role Transitions 15-12 Using Flashback Database After Failover 15-13 Automatic Propagation of Restore Points to All Standby Databases 15-14 Automatic Flashback on Physical Standby Databases 15-15 Quiz 15-17 Summary 15-19 Practice 15: Overview 15-20

#### 16 Enabling Fast-Start Failover

Objectives 16-2 Fast-Start Failover: Overview 16-3 When Does Fast-Start Failover Occur? 16-4 Installing the Observer Software 16-5 Fast-Start Failover Prerequisites 16-6 Configuring Fast-Start Failover 16-7 Step 1: Specify the Target Standby Databases 16-8 Dynamically Change Fast-start Failover Target 16-9 Setting a Fast Start Failover Target Using NOWAIT Mode 16-10 Step 2: Set the Protection Mode 16-12 Step 3: Set the Fast-Start Failover Threshold 16-13 Step 4: (Optional) Set Additional Fast-Start Failover Properties 16-14 Setting the Lag-Time Limit 16-15 Configuring the Primary Database to Shut Down Automatically 16-17 Automatic Reinstatement After Fast-Start Failover 16-18 Configuring Automatic Reinstatement of the Primary Database 16-19 Setting a Connect Identifier for the Observer 16-20 Setting an Observer Override 16-21 Setting Observer Reconnection Frequency 16-22 Step 5: Configure Additional Fast-Start Failover Conditions 16-23 Configuring Fast-Start Failover Conditions 16-25 Step 6: Enable Fast-Start Failover 16-26 Configuring Fast-Start Failover in Observe-only Mode 16-27

Step 7: Start the Observer 16-28 Data Guard Broker Property: ConfigurationWideServiceName 16-30 Multiple Observers Using a Single Configuration 16-31 Master Observer and Backup Observers 16-33 Starting Observers as Background Processes 16-34 Step 8: Verify the Configuration 16-35 Initiating Fast-Start Failover from an Application 16-36 Viewing Fast-Start Failover Information 16-38 Determining the Reason for a Fast-Start Failover 16-40 Prohibited Operations After Enabling Fast-Start Failover 16-41 Disabling Fast-Start Failover 16-42 Disabling Fast-Start Failover Conditions 16-44 Using the FORCE Option 16-45 Stopping the Observer 16-46 Performing Manual Role Changes 16-47 Manually Reinstating the Database 16-48 Using Enterprise Manager to Enable Fast-Start Failover 16-49 Changing the Protection Mode and Disabling Fast-Start Failover 16-54 Using Enterprise Manager to Disable Fast-Start Failover 16-55 Using Enterprise Manager to Suspend Fast-Start Failover 16-56 Moving the Observer to a New Host 16-57 Quiz 16-58 Summary 16-61 Practice 16: Overview 16-62

#### 17 Backup and Recovery Considerations in an Oracle Data Guard Configuration

Objectives 17-2 Using RMAN to Back Up and Restore Files in a Data Guard Configuration 17-3 Offloading Backups to a Physical Standby 17-4 Restrictions and Usage Notes 17-5 Association and Accessibility of RMAN Backups 17-6 Backup and Recovery of a Logical Standby Database 17-7 Using the RMAN Recovery Catalog in a Data Guard Configuration 17-8 Creating the Recovery Catalog 17-9 Registering a Database in the Recovery Catalog 17-10 Setting Persistent Configuration Settings 17-11 Setting RMAN Persistent Configuration Parameters on the Primary Database 17-13 Setting RMAN Persistent Configuration Parameters on the Physical Standby Database 17-14 Setting RMAN Persistent Configuration Parameters on the Other Standby Database 17-15 Enabling Block Change Tracking on a Physical Standby Database 17-16 Configuring Daily Incremental Backups 17-17 Recovering from the Loss of a Data File on the Primary Database 17-19 Using a Backup to Recover a Data File on the Primary Database 17-20 Restoring and Recovering a Data File on the Primary Database Over the Network 17-21 Automated Standby Synchronization from Primary Database 17-22 Enhancements to Block Media Recovery 17-23 Executing the RECOVER BLOCK Command 17-25 Excluding the Standby Database 17-26 Quiz 17-27 Summary 17-29 Practice 17: Overview 17-30

#### 18 Enhanced Client Connectivity in a Data Guard Environment

Objectives 18-2 Connecting to the Appropriate Environment 18-3 Understanding Client Connectivity in a Data Guard Configuration 18-4 Preventing Clients from Connecting to the Wrong Database 18-5 Managing Services 18-6 Creating Services for the Data Guard Configuration Databases 18-7 Connecting Clients to the Correct Database 18-8 Creating the AFTER DB ROLE CHANGE Trigger for Role-Based Services 18-9 Configuring Service Names in the tnsnames.ora File 18-10 Configuring Role-Based Services Using Oracle Clusterware 18-11 Adding Standby Databases to Oracle Restart Configuration 18-13 Example: Configuring Role-Based Services 18-14 Automatic Failover of Applications to a New Primary Database 18-15 Client Failover: Components 18-16 Data Guard Broker and Fast Application Notification (FAN) 18-17 Automating Client Failover by Using Transaction Guard and Application Continuity 18-18 What Is Transaction Guard? 18-19 What Is Application Continuity? 18-20 Data Guard and Application Continuity 18-21 Using Application Continuity 18-22 Configure Services on Single Instance Databases to Use Application Continuity 18-24 Configuring Client: JDBC-Thin Driver 18-25 Configuring Client: OCI Driver 18-27 Configuring Client: ODP.NET Unmanaged Provider Driver 18-28 Quiz 18-29 Summary 18-32 Practice 18: Overview 18-33

## **19** Patching and Upgrading Databases in a Data Guard Configuration

**Objectives** 19-2 Data Guard Standby-First Patch Apply 19-3 Upgrading an Oracle Data Guard Broker Configuration 19-6 Upgrading Oracle Database in a Data Guard Configuration with a Physical Standby Database 19-7 Upgrading Oracle Database in a Data Guard Configuration with a Logical Standby Database 19-9 Using SQL Apply to Upgrade the Oracle Database 19-10 Requirements for Using SQL Apply to Perform a Rolling Upgrade 19-11 Performing a Rolling Upgrade by Using SQL Apply 19-12 Identifying Unsupported Data Types 19-13 Case 1: Performing a Rolling Upgrade by Using an Existing Logical Standby Database 19-14 Performing a Rolling Upgrade by Using an Existing Logical Standby Database 19-15 Case 2: Performing a Rolling Upgrade by Creating a New Logical Standby Database 19-20 Case 3: Performing a Rolling Upgrade by Using a Physical Standby Database 19-21 Performing a Rolling Upgrade by Using a Physical Standby Database 19-22 Rolling Upgrades Using DBMS\_ROLLING and Active Data Guard 19-27 DBMS\_ROLLING: Concepts 19-28 DBMS\_ROLLING: Overview 19-30 Database Rolling Upgrade: Specification and Compilation Stages 19-32 Example: Specification Stage 19-33 Example: Compilation Stage 19-34 Database Rolling Upgrade: Execution Stage 19-35 Rolling Upgrade Support for Multitenant Databases 19-36 Quiz 19-37 Summary 19-39