

Contents

1 Grid Infrastructure: Overview

- Objectives 1-2
- Cluster 1-3
- Clusterware 1-4
- Oracle Clusterware 1-5
- Clusterware Architecture and Cluster Services 1-6
- Features of Oracle Clusterware 1-7
- Oracle Clusterware Networking 1-8
- Oracle Clusterware Initialization 1-10
- GPnP Architecture: Overview 1-11
- How GPnP Works: Cluster Node Startup 1-13
- Grid Naming Service (GNS) 1-14
- Single-Client Access Name 1-15
- Client Database Connections 1-16
- Oracle ASM 1-17
- Oracle ACFS 1-18
- Oracle Flex ASM 1-19
- ASM Features and Benefits 1-20
- Quiz 1-21
- Summary 1-23
- Practice 1: Overview 1-24

2 RAC Databases Overview and Architecture

- Objectives 2-2
- Oracle RAC: Overview 2-3
- Typical Oracle RAC Architecture 2-4
- Oracle RAC One Node 2-5
- Oracle RAC One Node and Oracle Clusterware 2-6
- Cluster-Aware Storage Solutions 2-7
- Oracle RAC and Network Connectivity 2-8
- Benefits of Using RAC 2-9
- Clusters and Scalability 2-10
- Levels of Scalability 2-11
- Scaleup and Speedup 2-12
- Speedup/Scaleup and Workloads 2-13

I/O Throughput Balanced: Example 2-14
Necessity of Global Resources 2-15
Additional Memory Requirement for RAC 2-16
Parallel Execution with RAC 2-17
Summary 2-18

3 Installing and Configuring Oracle RAC

Objectives 3-2
Installing the Oracle Database Software 3-3
Creating the Cluster Database 3-8
Database Type Selection 3-9
Database Identification 3-10
Storage Options 3-11
Database Content 3-12
Configuration Options 3-13
Cluster Database Management Options 3-14
Passwords for Database Schema Owners 3-15
Create the Database 3-16
Monitoring Progress 3-17
Post-Installation Tasks 3-18
Background Processes Specific to Oracle RAC 3-19
Single Instance-to-RAC Conversion 3-21
Considerations for Converting Single-Instance Databases to Oracle RAC 3-22
Scenario 1: Using DBCA 3-23
Step 1: Create an Image of the Single-Instance Database 3-24
Example: Result of Step 1 3-25
Step 2: Create an Oracle Cluster for RAC 3-26
Example: Result of Step 2 3-27
Step 3: Copy the Preconfigured Database Image 3-28
Example: Database Structure File (*.dbc) 3-29
Example: Result of Step 3 3-30
Step 4: Create an Oracle RAC Database 3-31
Scenario 2: Using rconfig 3-32
Step 1: Check the Database Type 3-33
Step 2: Modify the XML File for the rconfig Utility 3-34
Example: ConvertToRAC_AdminManaged.xml 3-35
Step 3: Perform Prerequisite Checks 3-36
Step 4: Convert to an Oracle RAC Database 3-37
Step 5: Verify the Conversion 3-39
Example: Result of Using rconfig 3-40
Quiz 3-41

D108774GC10: Oracle Database 19c: RAC Administration Workshop LVC

Summary 3-43

Practice 3: Overview 3-44

4 Oracle RAC Administration

Objectives 4-2

Separation of Duty for Administering Oracle Real Application Clusters 4-3

Enterprise Manager Cloud Control Cluster Database Home Page 4-4

Cluster Database Home Page 4-5

Cluster Database Instance Home Page 4-6

Cluster Home Page 4-7

Topology Viewer 4-8

Enterprise Manager Alerts and RAC 4-9

Enterprise Manager Metrics and RAC 4-10

Enterprise Manager Blackouts and RAC 4-11

Enterprise Manager Database Express 4-12

Redo Log Files and RAC 4-13

Automatic Undo Management and RAC 4-15

Local Temporary Tablespaces 4-16

Local Temporary Tablespace Organization 4-17

Temporary Tablespace Hierarchy 4-18

Local Temporary Tablespace Considerations 4-19

Managing Local Temporary Tablespaces 4-20

Local Temporary Tablespace Dictionary Views 4-21

Starting and Stopping RAC Instances 4-22

Starting and Stopping RAC Instances with srvctl 4-23

Starting and Stopping RAC Instances with SQL*Plus 4-24

Starting and Stopping Pluggable Databases in RAC 4-25

Switch between Automatic and Manual Policies 4-26

RAC Initialization Parameter Files 4-27

SPFILE Parameter Values and RAC 4-28

EM and SPFILE Parameter Values 4-29

RAC Initialization Parameters 4-30

Parameters That Require Identical Settings 4-32

Parameters That Require Unique Settings 4-33

Quiescing RAC Databases 4-34

Terminating Sessions on a Specific Instance 4-35

How SQL*Plus Commands Affect Instances 4-36

Transparent Data Encryption and Keystores in RAC 4-37

Quiz 4-39

Summary 4-42

Practice 4: Overview 4-43

5 Upgrading and Patching Oracle RAC

- Objectives 5-2
- Patch and Patch Set: Overview 5-3
- Types of Patches 5-4
- Obtaining Oracle RAC Patch Sets 5-5
- Obtaining Oracle RAC Patches 5-7
- Downloading Patches 5-8
- RAC Patching Methods 5-9
- Out-of-Place Upgrades with OUI 5-10
- Rolling Patches 5-13
- OPatch: Overview 5-14
- OPatch: General Usage 5-15
- Before Patching with OPatch 5-16
- Installing a Rolling Patch with OPatch 5-17
- OPatch Automation 5-19
- OPatch Automation: Examples 5-20
- OPatch Log and Trace Files 5-22
- Queryable Patch Inventory 5-23
- Alternative Methods of Patching 5-24
- Quiz 5-25
- Summary 5-26

6 Managing Backup and Recovery for RAC

- Objectives 6-2
- Instance Recovery and RAC 6-3
- Instance Recovery and Database Availability 6-5
- Instance Recovery and RAC 6-6
- Protecting Against Media Failure 6-8
- Media Recovery in Oracle RAC 6-9
- Parallel Recovery in RAC 6-10
- RAC and the Fast Recovery Area 6-11
- RAC Backup and Recovery Using EM 6-12
- Configuring RAC Recovery Settings with EM 6-13
- Archived Redo File Conventions in RAC 6-14
- Configuring RAC Backup Settings with EM 6-15
- Oracle Recovery Manager 6-16
- Configuring RMAN Snapshot Control File Location 6-17
- Configuring Control File and SPFILE Autobackup 6-18
- Cross-checking on Multiple RAC Clusters Nodes 6-19
- Channel Connections to Cluster Instances 6-20
- RMAN Channel Support for the Grid 6-21

D108774GC10: Oracle Database 19c: RAC Administration Workshop LVC

RMAN Default Autolocation 6-22
Distribution of Backups 6-23
Managing Archived Redo Logs Using RMAN 6-24
Noncluster File System Local Archiving Scheme 6-25
Configuring Non-Cluster, Local Archiving 6-26
ASM and Cluster File System Archiving Scheme 6-27
Configuring the CFS Archiving Scheme 6-28
Restoring and Recovering 6-29
Quiz 6-30
Summary 6-32
Practice 6: Overview 6-33

7 Global Resource Management Concepts

Objectives 7-2
Need for Global Concurrency Control 7-3
Global Resource Directory (GRD) 7-4
Global Resource Management 7-5
Global Resource Remastering 7-6
Global Resource Recovery 7-7
Global Resource Management Related Background Processes 7-9
Global Resource Access Coordination 7-10
Global Enqueues 7-11
Instance Locks 7-12
Global Cache Management: Overview 7-13
Global Cache Management Components 7-14
Global Cache Buffer States 7-15
Global Cache Management Scenarios for Single Block Reads 7-16
Global Cache Scenarios: Overview 7-17
Scenario 1: Read from Disk 7-18
Scenario 2: Read-Write Cache Fusion 7-22
Scenario 3: Write-Write Cache Fusion 7-26
Scenario 4: Write-Read Cache Fusion 7-30
Global Cache Management Scenarios for Multi-Block Reads 7-34
Useful Global Resource Management Views 7-35
Quiz 7-36
Summary 7-37

8 RAC Database Monitoring and Tuning

Objectives 8-2
CPU and Wait Time Tuning Dimensions 8-3
RAC-Specific Tuning 8-4

D108774GC10: Oracle Database 19c: RAC Administration Workshop LVC

Analyzing Cache Fusion Impact in RAC	8-5
Typical Latencies for RAC Operations	8-6
Wait Events for RAC	8-7
Wait Event Views	8-8
Global Cache Wait Events: Overview	8-9
Global Enqueue Waits	8-11
Session and System Statistics	8-12
Most Common RAC Tuning Tips	8-13
Index Block Contention: Considerations	8-15
Oracle Sequences and Index Contention	8-16
Undo Block Considerations	8-18
High-Water Mark Considerations	8-19
Concurrent Cross-Instance Calls: Considerations	8-20
Monitoring RAC Database and Cluster Performance	8-21
Cluster Database Performance Page	8-22
Determining Cluster Host Load Average	8-23
Determining Global Cache Block Access Latency	8-24
Determining Average Active Sessions	8-25
Determining Database Throughput	8-26
Accessing the Cluster Cache Coherency Page	8-28
Viewing the Database Locks Page	8-30
AWR Snapshots in RAC	8-31
AWR Reports and RAC: Overview	8-32
Active Session History Reports for RAC	8-33
Automatic Database Diagnostic Monitor for RAC	8-34
What Does ADDM Diagnose for RAC?	8-36
EM Support for ADDM for RAC	8-37
EM Database Express Performance Hub	8-38
Monitoring RAC With Cluster Health Advisor (CHA)	8-39
Quiz	8-40
Summary	8-42
Practice 8: Overview	8-43

9 Managing High Availability of Services

Objectives	9-2
Oracle Services	9-3
Service Usage in an Oracle RAC Database	9-4
Parallel Operations and Services	9-5
Service-Oriented Buffer Cache Access	9-6
Service Characteristics	9-7
Default Service Connections	9-9

D108774GC10: Oracle Database 19c: RAC Administration Workshop LVC

Restricted Service Registration	9-10
Creating Service with Enterprise Manager	9-11
Creating Services with SRVCTL	9-12
Managing Services with Enterprise Manager	9-13
Managing Services with EM	9-14
Managing Services with srvctl	9-15
Using Services with Client Applications	9-16
Services and Connection Load Balancing	9-17
Services and Transparent Application Failover	9-18
Using Services with the Resource Manager	9-19
Services and Resource Manager with EM	9-20
Using Services with the Scheduler	9-21
Services and the Scheduler with EM	9-22
Using Distributed Transactions with RAC	9-24
Distributed Transactions and Services	9-25
Service Thresholds and Alerts	9-27
Services and Thresholds Alerts: Example	9-28
Service Aggregation and Tracing	9-29
Top Services Performance Page	9-30
Service Aggregation Configuration	9-31
Service, Module, and Action Monitoring	9-32
Service Performance Views	9-33
Quiz	9-34
Summary	9-36
Practice 9: Overview	9-37

10 High Availability for Connections and Applications

Objectives	10-2
Types of Workload Distribution	10-3
Client-Side Connect-Time Load Balancing	10-4
Fast Application Notification (FAN): Overview	10-5
Fast Application Notification: Benefits	10-6
Implementing FAN Events	10-7
FAN and Oracle Integrated Clients	10-8
FAN-Supported Event Types	10-10
FAN Event Reasons	10-11
FAN Event Status	10-12
FAN Event Format	10-13
Load Balancing Advisory: FAN Event	10-14
Server-Side Callouts Implementation	10-15
Server-Side Callout Parse: Example	10-16

D108774GC10: Oracle Database 19c: RAC Administration Workshop LVC

Server-Side Callout Filter: Example	10-17
Server-Side ONS	10-18
Optionally Configuring the Client-Side ONS	10-19
UCP JDBC Fast Connection Failover: Overview	10-20
JDBC/ODP.NET FCF Benefits	10-21
Load Balancing Advisory	10-22
UCP JDBC/ODP.NET Runtime Connection Load Balancing: Overview	10-23
Connection Load Balancing in RAC	10-24
Monitoring LBA FAN Events	10-25
Transparent Application Failover: Overview	10-26
TAF Basic Configuration on Server-Side: Example	10-27
TAF Basic Configuration on a Client-Side: Example	10-28
TAF Preconnect Configuration: Example	10-29
TAF Verification	10-30
FAN Connection Pools and TAF Considerations	10-31
Transaction Guard and Application Continuity	10-32
What Is Transaction Guard?	10-33
Benefits of Transaction Guard	10-34
How Transaction Guard Works	10-35
Using Transaction Guard	10-36
Creating Services for Transaction Guard	10-38
What Is Application Continuity?	10-39
Benefits of Application Continuity	10-40
How Does Application Continuity Work?	10-41
RAC and Application Continuity	10-42
Using Application Continuity	10-43
Creating Services for Application Continuity	10-45
Quiz	10-47
Summary	10-49
Practice 10 Overview: Using Application Continuity	10-50

11 Oracle RAC One Node

Objectives	11-2
Oracle RAC One Node	11-3
Creating an Oracle RAC One Node Database	11-4
Verifying an Existing RAC One Node Database	11-6
Oracle RAC One Node Online Relocation	11-7
Online Relocation Considerations	11-8
Performing an Online Relocation	11-9
Online Relocation Illustration	11-10
Online Maintenance: Rolling Patches	11-13

D108774GC10: Oracle Database 19c: RAC Administration Workshop LVC

Adding an Oracle RAC One Node Database to an Existing Cluster 11-15
Converting a RAC One Node Database to RAC 11-16
Converting a Single Instance Database to RAC One Node 11-18
Converting a RAC Database to RAC One Node 11-19
Quiz 11-20
Summary 11-22
Practice 11: Overview 11-23

12 Oracle Database In-Memory in RAC

Objectives 12-2
In-Memory Column Store 12-3
Advantages of In-Memory Column Store 12-5
In-Memory Column Store Pools 12-6
Implementing In-Memory Column Store 12-7
In-Memory Column Store Population 12-8
Prioritization of In-Memory Population 12-9
In-Memory Column Store and Oracle RAC 12-10
In-Memory FastStart 12-11
In-Memory FastStart Architecture 12-12
Enabling In-Memory FastStart 12-13
FastStart Area in Oracle RAC 12-14
How the Database Reads from the FastStart Area 12-15
Summary 12-16
Practice 12: Overview 12-17

13 Multitenant Architecture and RAC

Objectives 13-2
Non-CDB Architecture 13-3
Multitenant Architecture: Benefits 13-4
CDB in a Non-RAC Environment 13-5
Containers 13-6
Terminology 13-7
Data Dictionary Views 13-8
Connection to a Non-RAC CDB 13-9
Switching Connection 13-11
Oracle RAC and Multitenant Configuration 13-12
Oracle RAC and Multitenant Architecture 13-13
Creating a RAC CDB 13-14
Hosting a RAC CDB 13-15
Creating a RAC CDB Including PDBs 13-16
After CDB Creation 13-17

D108774GC10: Oracle Database 19c: RAC Administration Workshop LVC

Connecting Using CDB/PDB Services	13-18
Opening a PDB in a RAC CDB	13-19
Closing a PDB in a RAC CDB	13-21
Types of Services	13-22
Managing Services	13-23
Affinitizing PDB Services	13-24
Adding a PDB to a RAC CDB	13-25
Dropping a PDB from a RAC CDB	13-26
Quiz	13-27
Summary	13-28
Practice 13: Overview	13-29